

L Number	Hits	Search Text	DB	Time stamp
1	4734916	@ad<20000531	USPAT; US-PGPUB; EPO; IBM_TDB USPAT; US-PGPUB; EPO; IBM_TDB USPAT; US-PGPUB; EPO; IBM_TDB USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/16 10:11
2	629	380/28.CCLS. AND @ad<20000531	USPAT; US-PGPUB; EPO; IBM_TDB USPAT; US-PGPUB; EPO; IBM_TDB USPAT; US-PGPUB; EPO; IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/16 10:11
3	111	380/259.CCLS. AND @ad<20000531	IBM_TDB USPAT; US-PGPUB; EPO; IBM_TDB USPAT; US-PGPUB; EPO; IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/16 10:11
4	168	((380/28.CCLS. AND @ad<20000531) (380/259.CCLS. AND @ad<20000531)) and data adj encryption adj standard	IBM_TDB USPAT; US-PGPUB; EPO; IBM_TDB USPAT; US-PGPUB; EPO; IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/16 10:11
5	199	((380/28.CCLS. AND @ad<20000531) (380/259.CCLS. AND @ad<20000531)) and clock	IBM_TDB USPAT; US-PGPUB; EPO; IBM_TDB USPAT; US-PGPUB; EPO; IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/16 10:11
6	52	((380/28.CCLS. AND @ad<20000531) (380/259.CCLS. AND @ad<20000531)) and clock) and multiplexer	IBM_TDB USPAT; US-PGPUB; EPO; IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/16 10:11
7	27	((380/28.CCLS. AND @ad<20000531) (380/259.CCLS. AND @ad<20000531)) and data adj encryption adj standard) and multiplexer	IBM_TDB USPAT; US-PGPUB; EPO; IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/16 10:11
-	4734913	@ad<20000531	IBM_TDB USPAT; US-PGPUB; EPO; IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/16 10:10
-	22955	@ad<20000531 and "data encryption standard" and clock and multiplexer demultiplexer	IBM_TDB USPAT; US-PGPUB; EPO; IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/14 13:27
-	57	@ad<20000531 and "data encryption standard" and clock and (multiplexer multiplexor) and (demultiplexer demultiplexor de-multiplexor de-multiplexer)	IBM_TDB USPAT; US-PGPUB; EPO; IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/14 15:38
-	2	@ad<20000531 and "data encryption standard" and clock and (multiplexer multiplexor) and (demultiplexer demultiplexor de-multiplexor de-multiplexer) and pipeline	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/14 15:26
-	215	@ad<20000531 and 380/37.ccls.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/14 15:44
-	130	(@ad<20000531 and 380/37.ccls.) and DES	USPAT; US-PGPUB; EPO; IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/14 15:45
-	34	((@ad<20000531 and 380/37.ccls.) and DES) and clock	IBM_TDB USPAT; US-PGPUB; EPO; IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/14 15:45
-	25	(@ad<20000531 and 380/37.ccls.) and "data encryption standard" and clock	IBM_TDB USPAT; US-PGPUB; EPO; IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/14 15:48
-	4	(@ad<20000531 and 380/37.ccls.) and "data encryption standard" and pipeline	IBM_TDB USPAT; US-PGPUB; EPO; IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/14 15:48
-	5	(@ad<20000531 and 380/37.ccls.) and "data encryption standard" and pipeline\$2	IBM_TDB USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/14 15:49

-		6	("4100374" "4195200" "5351299" "5381480" "5835599" "6088800").PN.	USPAT	2004/09/14 15:56
-		1	6347143.URPN.	USPAT	2004/09/14 15:56
-	48980		des.inv.	USPAT; US-PGPUB; EPO; IBM_TDB USPAT; US-PGPUB; EPO; IBM_TDB USPAT; US-PGPUB; EPO; IBM_TDB USPAT; US-PGPUB; EPO; IBM_TDB USPAT; US-PGPUB; EPO; IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/14 16:26
-		2496	des.ti.	IBM_TDB USPAT;	2004/09/14 16:26
-		2496	"des".ti.	USPAT; US-PGPUB; EPO; IBM_TDB USPAT; US-PGPUB; EPO; IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/14 16:26
-		28	"des".ti. and encryption	IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/15 10:05
-		10	("des".ti. and encryption) and clock	IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/15 10:05
-	'4734913		@ad<20000531	IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/15 10:24
-		0	6347143.PN. and multiplexer with clock	IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/15 10:24
-		59	@ad<20000531 and multiplexer with clock and "DES" and encryption	IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/15 10:26
-		32	(@ad<20000531 and multiplexer with clock and "DES" and encryption) and chip	IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/15 10:26
-		20	@ad<20000531 and multiplexer with clock and "DES"! and encryption	IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/15 12:23
-		10	@ad<20000531 and multiplexer same clock and ("DES"! "data encryption standard") with (chip asic fpga)	IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/15 15:22
-		18	@ad<20000531 and (n/2 twice faster phase\$2) near4 clock and ("DES"! "data encryption standard") with (chip asic fpga)	IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/15 12:41
-		9	@ad<20000531 and (n/2 twice faster phase\$2) near4 clock and ("DES"! "data encryption standard") with (chip asic fpga) and encryption	IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/15 12:57
-		1792	@ad<20000531 and (n/2 twice faster phase\$2) near4 clock same multiplexer	IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/15 12:59
-		917	@ad<20000531 and (n/2 twice faster phase\$2) near4 clock same multiplexer and clocks!	IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/15 13:05
-		23	@ad<20000531 and (n/2 twice faster phase\$2) near4 clock same multiplexer and clocks! and (chip fpga asic) and encryption	IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/15 13:23
-		149	@ad<20000531 and (n/2 twice faster phase\$2) near4 clock same multiplexer and clocks! and (chip fpga asic) and pipeline	IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/15 13:43

-	0	@ad<20000531 and (s-box "s box") with input with multiplexer	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/15 13:44
-	0	@ad<20000531 and (s-box\$2 "s box" "s boxes") with input with multiplexer	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/15 13:44
-	1	@ad<20000531 and (s-box\$2 "s box" "s boxes") same input with multiplexer	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/15 13:45
-	1	@ad<20000531 and (s-box\$2 "s box" "s boxes") with input same multiplexer	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/15 13:45
-	2	@ad<20000531 and (s-box\$2 "s box" "s boxes") same input same multiplexer	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/15 13:46
-	4	@ad<20000531 and (s-box\$2 "s box" "s boxes") same multiplexer	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/15 13:52
-	3	@ad<20000531 and (s-box\$2 "s box" "s boxes").ti.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/15 13:52
-	86	@ad<20000531 and (s-box\$2 "s box" "s boxes") with input	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/15 13:53
-	0	@ad<20000531 and (s-box\$2 "s box" "s boxes") with input same controller	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/15 13:53
-	4	@ad<20000531 and (s-box\$2 "s box" "s boxes") same multiplexer	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/15 13:54
-	9	@ad<20000531 and (s-box\$2 "s box" "s boxes") with design	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/15 13:54
-	42	@ad<20000531 and (s-box\$2 "s box" "s boxes") with permutation	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/15 13:54
-	19	@ad<20000531 and ("DES"! "data encryption standard") with (chip asic fpga) and clock\$3 with (phase 2-phase "two phase")	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/15 14:12
-	34	@ad<20000531 and 380/29.ccls. and (s-box\$2)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/15 14:25
-	9	(@ad<20000531 and 380/29.ccls. and (s-box\$2)) and clock	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/15 14:25
-	16	@ad<20000531 and pipeline\$2 with "des"!	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/15 15:23